

ANOS	MODELO	DESCRIPCION	NO. DE PARTE	NO. DE PARTE	D. EXTERNO	D. INTERNO	EST	INFORMACION
CHEVROLET								
90-08	5500, 6500, 7500	DIESEL C & T SERIES, TOPKICK & KODIAK, CAT 3116, CAT 3126B, CAT C-7	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
01-08	KODIAK	MOTOR 7.2 LTS, 6 CIL, CATERPILLAR 207HP 520 LB-FT DIESEL	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
94-00	KODIAK	MOTOR V8, 6.0L, GM POWER TRAIN	NAK04-525	NAK04-525	13" 330.00mm	1 1/2" 38.10mm	10	DIAFRAGMA TIPO EMPUJE
97-00	KODIAK	MOTOR L6, 7.0L, GM POWER TRAIN	NAK04-525	NAK04-525	13" 330.00mm	1 1/2" 38.10mm	10	DIAFRAGMA TIPO EMPUJE
90-05	KODIAK	MOTOR CAT DIESEL 7.2L	NAK04-532	NAK04-532	14" 355.60mm	1 3/4" 44.45mm	10	DIAFRAGMA TIPO JALÓN, UN SOLO DISCO
2002	LO PRO C6H 042, C7HO42 TW 7 B Y 7K, C8HO42 TW9 R	MOTOR CATERPILLAR 3126 7.2 LTS, 190HP, 520 LB-FT, FULLER FS 5406A, 6 VEL.	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
DINA								
92-	751	MOTOR CUMMINS NTC350, 350 HP, 1120 LB-FT, SPICER 1414-3	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
02-	7400	MOTOR INTERNATIONAL DT530 275 HP, 860 LB-FT, FULLER RTLO-8908LL	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
90-94	9400	MOTOR CUMMINS NTC400, 400 HP, 1250 LB, SPICER TSPO-155-16A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
90-94	9400	MOTOR DETROIT DIESEL S60 92TA 430HP 1550 LB-FT, FULLER RTLOF-14913A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
99-	94435000	MOTOR CUMMINS N 14-435E, 435 HP, 1550 LB-FT, 18 VEL, FULLER RTLOF-16718B	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
88-94	321 C3	MOTOR CUMMINS 400 HP, 1350 LB-FT	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
99-	55117576 4x2	MOTOR CATERPILLAR 3126B 7.2 LTS, 5 VEL, 175HP, 420 LB-FT, SPICER ES55-5D	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
80-	861K	MOTOR CUMMINS NT350, 350HP, 1200 LB-FT, SPICER 1414-3	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
88-	861K	MOTOR DETROIT DIESEL S60 92TA, 445 HP, 1250 LB-FT, SPICER 1414-3	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
80-87	DINA 323G	MOTOR CUMMINS N14, 350 HP, 1300 LB-FT, FULLER T-905D	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
93-	DINA 455	MOTOR CATERPILLAR 3126 / MOTOR NAVISTAR DT 466 420 LB-FT, 175 HP, CLARK CL 557	NAC127390	NAC127390	14" 355.60mm			SOLAMENTE PLATO
90-	DINA 552, 553 Y 555	MOTOR CATERPILLAR 3126E, 175-190 HP, 420-520 LB-FT, CLARK CL 551, SPICER ES-52-5D	NAC127390	NAC127390	14" 355.60mm			SOLAMENTE PLATO
80-	DINA 653 Y 654	MOTOR NAVISTAR DT466, 210-300 HP, SPICER 66852G, 540-860 LB-FT	NAC127390	NAC127390	14" 355.60mm			SOLAMENTE PLATO
88-	S-741	MOTOR CUMMINS NT270, 270 HP, 1020 LB-FT, SPICER 1414-3	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
DINA AUTOBUSES								
80-89	DINA AVANTE	MOTOR DD 6V, 330 HP, 963 LB-FT, SPICER SST-1172AM	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
91-00	DINA DORADO, OLIMPICO	MOTOR DD 6V92, 330-350 HP, 963-1050 LB-FT, TREMEC TSP1 20-7A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
92-98	DINA VIAGGIO	MOTOR NAVISTAR DT530, 365 HP, 1020 LB-FT, 8 VEL, ZF 8S 180	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
01-03	F11, P11 CHASIS	MOTOR DDC IV S50 4 CIL, 320 HP. 1150 LB-FT, 10 VEL, SPICER SST 1410-2A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
02-03	F11A	MOTOR CUMMINS ISC 6 CIL, 315 HP, 950 LB-FT, 10 VEL, SPICER SST 1410-2A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
02-03	F12	MOTOR DDC IV S50 4 CIL, 370 HP, 1450 LB-FT, 10 VEL, SPICER SST 1410-2A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
09-11	HTQ 102-F / RUNNER9 / 10 / 10-E	MOTOR CUMMINS ISB 6.7 LTS, 200HP, EPA 04, 5 VEL, SPICER ES 56	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
10-	HTQ 104-R / LINNER	MOTOR CUMMINS ISB 6.7 LTS, 200 HP, 6 VEL, FULLER FBS-5406B	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
10-11	HTQ 104-SF / OUTSAIDER	MOTOR CUMMINS ISB 6.7 LTS, 260 HP, EPA 04, 6 VEL, SPICER FSO-6406 A	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
09-11	HTQ 94-F / RUNNER 8 / RUNNER	MOTOR CUMMINS ISB 6.7 LTS, 200 HP, EPA 04, 5 VEL, SPICER ES 56	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
FORD								
87-08	F-450, F-550, F-650, F-750	DIESEL CAT 3208, CAT 3126, CAT C-7, FORD FD1060, FD1460, CUMMINS B5.9, C8.3, ISB, ISC, 6 CIL & 8 CIL	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
85-93	F-450, F-550, F-650, F-750	DIESEL CARGO SERIES 6.6L, 6 CIL & 8 CIL	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
FREIGHTLINER								

99-00	ARGOSSY	MOTOR CATERPILLAR C10 355 HP, 1250 LB-FT, MERITOR RM10125A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
98-00	ARGOSSY	MOTOR CUMMINS ISM 370, 370 HP, 1450 LB-FT, MERITOR RM10125A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
98-00	C120	MOTOR DETROIT DIESEL S60 430 HP, 1650 LB-FT, FULLER RTLO 16718B	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
99-00	C120	MOTOR CUMMINS N14, 350-500 HP, 1350-1750 LB-FT, FULLER RTLO16718B	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
99-00	C120	MOTOR MUMMINS SIGNATURE 600 HP, 1350 - 1750 FT-LB, FULLER RTLO16718B	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
99-00	C120	MOTOR CUMMINS ISX 400-600 HP, 1450-1850 LB, FULLER RTLO16718B	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
99-00	C120	MOTOR CUMMINS ISM 370 HP, 1450 LB-FT, FULLER RTX-13710C	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
01-	COLUMBIA	MOTOR CATERPILLAR C12 430 HP, 1650 LB-FT, FULLER RTLO 16918B	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
01-	COLUMBIA	MOTOR CATERPILLAR N14 435 HP, 1650 LB-FT, FULLER RTLO 16918B	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
01-	COLUMBIA	MOTOR DETROIT DIESEL S60 430 HP, 1450 LB-FT, FULLER RTLO-16918B	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
02-	COLUMBIA	MOTOR CUMMINS ISX 565 HP, 1850 LB-FT, FULLER RTLO-16918B	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
01-	CST 120	MOTOR CUMMINS N14 350-550 HP, 1350-1650 LB-FT, FULLER RTLO 16918B	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
01-	CST 120	MOTOR DETROIT DIESEL S60 430 HP, 1650 LB-FT, FULLER RTLO 16718B	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
01-	CST 120	MOTOR CUMMINS SIGNATURE 600 HP, 2050 LB-FT, FULLER RTLO16918B	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
01-	CST 120	MOTOR CUMMINS ISX 565-600 HP, 1850 LB-FT, FULLER RTLO-16918B	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
98-00	FL 106 BUSINEES CLASS	MOTOR DETROIT DIESEL S50 320 HP, 1150 LB-FT, FULLER RTX-11710C, 10 VEL	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
98-00	FL 112QR 6x4 1 (CC)	MOTOR CUMMINS M11 370E, 370 HP, 1350 LB-FT, FULLER RTX-11710C	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
99-00	FL 112QR 6x4 2	MOTOR CUMMINS ISM 310-370 HP, 1150-1450 LB-FT, FULLER RTLO-14913A, RTX-13710C	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
99-00	FL 112QR 6x4 3	MOTOR DITROIT DIESEL S50320 HP, 1150 LB-FT, FULLER RTLO-14913A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
98-00	FL 160BC, FL106	MOTOR DETROIT DIESEL S50 320 HP, 1150 LB-FT, FULLER RTX-11710C	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
99-	FL 60	MOTOR MBE 900 4.3 LTS, 170 HP, 420 LB-FT, MOTOR CUMMINS ISB 5.9 LTS, 195 HP, 520 LB-FT, 5 VEL, FULLER FS-5205A	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
99-	FL 70	MOTOR MBE 900, 170-210 HP, 420-520 LB-FT, 5 VEL, FULLER FS-5205A	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
99-	FL 70BC	MOTOR CUMMINS ISB 5.9 LTS, 195 HP, 520 LB-FT, FULLER FS-5205A	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
99-	FL 80 QR 4x2	MOTOR MERCEDES BENZ 900 210-280 HP, 520-800 LB-FT, FULLER FS6306A	NAC127390	NAC127390	14" 355.60mm			SOLAMENTE PLATO
99-	FL 80 QR 4x2	MOTOR CUMMINS ISC 240-280 HP, 660-860 LB-FT, FULLER RT-8709B	NAC127390	NAC127390	14" 355.60mm			SOLAMENTE PLATO
98-	FLD 112	MOTOR CUMMINS ISM 370 HP, 1350 LB-FT, FULLER RTLO-141713A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
98-00	FLD 112	MOTOR CATERPILLAR 3406E 435 HP, 1650 LB-FT, FULLER RTLO 141718B, RTLO 16918B	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
99-00	FLD 112	MOTOR CATERPILLAR C10 355 HP, 1250 LB-FT, FULLER RTLO-141713A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
99-00	FLD 112	MOTOR CUMMINS N14 435E 435 HP, 1450 LB-FT, FULLER RTLO-16718B	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
99-00	FLD 112	MOTOR DETROIT DIESEL S60 430 HP, 1450 LB-FT, FULLER RTLO-141718B	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
01-	FLD 112	MOTOR CUMMINS ISM 370 370 HP, 1350 LB-FT, FULLER RTLO-141713A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
98-	FLD 112 QR 6x4	MOTOR CUMMINS M11 310E 310 HP, 1150 LB-FT, FULLER TX-11710B	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
99-	FLD 112 QR 6x4	MOTOR CUMMINS ISM 350 HP, 1350 LB-FT, DDC S50, 320 HP 1150 LB-FT, 13 VEL, FULLER RTLO-14913A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
98-	FLD 112 SD	MOTOR CUMMINS ISM 305V 305 HP, 1150 LB-FT, FULLER RTO-11908LC	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES

05-	M2 112 (6X4) QR	MOTOR MBE 4000, 350-450 HP, CUMMINS 310-370 HP, CATERPILLAR C10, C12 305-308 HP, 10 VEL FULLER RTX 13710C, 13 VEL RTLO 11710C	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
04-08	M2 25K (4X2), M2 100" 18K-25K (4X2)	MOTOR MBE904, MBE900 4.2 LTS Y 4.3 LTS, 4 CIL., 170-190 HP, 420-520 LB-FT, 6 VEL., MBT520S-6D, MB G3 / 60	NAK81231-02	NAK81231-02	14 3/8" 365mm	1 3/4" 44.45mm	18	COLLARIN MECÁNICO, DISCO CON BOTÓN DE CERÁMICA
04-06	M2 35K (4X2)	MOTOR MBE906 6.4LTS., 6CIL., 6VEL., 210HP-300HP.	NAK81231-02	NAK81231-02	14 3/8" 365mm	1 3/4" 44.45mm	18	COLLARIN MECÁNICO, DISCO CON BOTÓN DE CERÁMICA
88-08	MD, FL & M2	DIESEL BUSINESS CLASS, M SERIES, FL SERIES, CUMMINS B5.9, C8.3, ISB ISC	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS

HINO

05-08	145, 165, 185, 238, 258, 268 & 338	J08E-T, 6 CILINDROS	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
-------	------------------------------------	---------------------	-------------	-------------	--------------	----------------	----	---------------------

INTERNATIONAL

85-08	INTERNATIONAL TRUCK DURA STAR 4100, 4300 & 4400	DIESEL NAVISTAR, DT360, DT466, DT530, DT530 MAXX FORCE 7,9. 6 & 8 CILINDROS	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
04-	4200	MOTOR INTERNATIONAL VT 365 175 HP, 460 LB-FT, FULLER SAS1401	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
98-	SERIE 4300 195, 215 (4x2) / 4400 215, 225	MOTOR INTERNATIONAL DT 466 195-225 HP, 520-620 LB-FT, FULLER FS6305B	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
02-	4400 250	MOTOR INTERNATIONAL DT 466 250-300 HP, 800 LB-FT, FULLER RTX-11609B, FRO11210C	NAC127390	NAC127390	14" 355.60mm			SOLAMENTE PLATO
02-	4400 285 Y 300	MOTOR INTERNATIONAL DT 530 275 HP, 800 LB-FT 9 VEL FULLER RTX-11609B & 10 VEL FRO11210C	NAC127390	NAC127390	14" 355.60mm			SOLAMENTE PLATO
99-02	4700, 4700 444	MOTOR NAVISTAR DT 466E 175-190 HP, 430-485 LB-FT, 5 VEL SPICER ES55-5D, ES62-5D	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
02-	7400	MOTOR INTERNATIONAL DT 530 275 HP, 860 LB-FT FULLER RTLO-8908LL	NAC127390	NAC127390	14" 355.60mm			SOLAMENTE PLATO
12-	7600 WORKSTAR	310-350 HP, TRANSMISIÓN FULLER RTO-14909, TRANSMISIÓN FULLER RTO-14908I	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
99-	9400	MOTOR DETROIT DIESEL S60 430 HP, 1450 LB-FT, FULLER RTLO-16718B, RTLO-14913A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
01-	9200 I	MOTOR CUMMINS ISM 370 HP, 1350 LB-FT, FULLER RTLO-14713A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
02-	DAY CAB	MOTOR CUMMINS ISM 330 HP, 1350 LB-FT, FULLER FRO-14210C	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
02-	DAY CAB DDC	MOTOR DETROIT DIESEL S60 370-430 HP, 1450 LB-FT, FULLER RTLO-16918B	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
12-	PROSTAR	MOTOR CUMMINS ISX EPA04	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
12-	TRANSTAR	MOTOR CUMMINS ISM 320 HP, 1550 LB-FT	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES

INTERNATIONAL AUTOBUSES

98-02	4700 SCD	MOTOR NAVISTAR DT466E 175 HP, 430-460 LB-FT, 5 VEL, SPICER ES55-5D, ES56-5D	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
98-02	4700 FBC	MOTOR NAVISTAR DT466E 176-190 HP, 430-485 LB-FT, 6 VEL, SPICER ES55-5D, ES62-5D	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
03-12	4700 SCD, 4700 FE, 3300 CE, 3000 RE, TRAVELER	MOTOR INTERNATIONAL DT466E, VT 365, 175-260 HP 460 LB-FT, 520 LB-FT, 620 LB-FT, 443 LB-FT Y 660 LB-FT, 5 VEL, SPICER ES56-5A, FULLER FS-6305B, FSB5406B, FS.6406B, FSB-6406B	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
03-05	04700 FBC	MOTOR INTERNATIONAL DT466E, 175-195 HP 460-520 LB-FT, 5 VEL, SPICER ES52-5D, ES62-5D	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
08-	4700 SCD DT 466	MOTOR INTERNATIONAL DT 466 175-195 HP, 460-520 LB-FT, 5 VEL FULLER FS-6305B & 6 VEL FULLER FSB-5406	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
08-	4700 SCD MAXX FORCE 4.8	MOTOR INTERNATIONAL MAXXFORCE 4.82 LTS, 180 HP, 443 LB-FT, 5 VEL FULLER FS-6305B & 6 VEL FULLER FSB-5406	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
10-	INTERNACIONAL 3300 CE	MOTOR MAXXFORCE DT INTERNATIONAL DIESEL POWER 7.6 LTS, 210 HP, 6 VEL FULLER FS6305B	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
10-	INTERNACIONAL 4700 CE	MOTOR MAXXFORCE 7.2 LTS, INTERNATIONAL DIESEL POWER, 5 VEL FULLER FS6305B & 6 VEL FSB5406B	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
10-11	INTERNACIONAL 3000 RE	MOTOR MAXXFORCE 7.6 LTS INTERNATIONAL DIESEL POWER 210 HP, 6 VEL FULLER FSB5406B	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS

ISUZU

05-08	N, F & H SERIES	DIESEL 7.8 LTS, 6HKI	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
09-	ELF 200 / 300	4 CIL, 3.0 LTS, TURBO DIESEL	NAK09-141	NAK09-141	11 13/16" 300mm	1 3/8" 35mm	14	DISCO DE PASTA ORGÁNICA
02-12	ELF 400, 450, 500, 600 & BUS	4 CIL, 5.2 LTS, 190 HP, 6 VEL, TURBO DIESEL	NAK09-142CB	NAK09-142CB	13" 330mm	1 3/8" 35mm	14	BOTONES DE CERÁMICA
KENWORTH								
82-	L700, LCF	MOTOR CUMMINS NTC 270-350 HP, 1000-1200 LB-FT, FULLER SST1410-2A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
89-08	K-260, K-270, T-170, T-270, T-300 & T-370	ISB, ISC, PX-6, PX-8, 6 CILINDROS	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
14-	T270	MOTOR PACCAR PX-6 200 HP, TRANSMISIÓN FULLER FS5406A	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
94-	T450, T450B Y T450W	MOTOR CUMMINS L10, CUMMINS C 8.3 LTS, 157-350 HP, 605-950 LB-FT, FULLER SST1352-4	NAC127390	NAC127390	14" 355.60mm			SOLAMENTE PLATO
98-	T450W	MOTOR CUMMINS L10, M11, CATERPILLAR 3306 300-310 HP, 1150 LB-FT, FULLER RTO 11708LL, RT 8709B	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
83-	C500	MOTOR CUMMINS NTC 350 HP, 1120-1200 LB-FT, FULLER RT8709B	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
98-	T300 4x2	MOTOR CUMMINS ISB 195-250 HP, 520-660 LB-FT, FULLER FS6306	NAC127390	NAC127390	14" 355.60mm			SOLAMENTE PLATO
98-	T300 6x4	MOTOR CUMMINS ISB 195-250 HP, 520-660 LB-FT, FULLER RT-8709B	NAC127390	NAC127390	14" 355.60mm			SOLAMENTE PLATO
98-	T300 6x4	MOTOR CATERPILLAR 3126B 190-300 HP, 520-860 LB-FT, FULLER RT-8709B	NAC127390	NAC127390	14" 355.60mm			SOLAMENTE PLATO
98-	T450W	MOTOR CUMMINS L10 300 HP, 1150 LB-FT, FULLER RTO-11708LL	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
98-	T450W	MOTOR CUMMINS M11 310 310 HP, 1150 LB-FT, FULLER RT-8709B	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
98-	T450W	MOTOR CATERPILLAR 3306 305 HP, 1150 LB-FT, FULLER RT-8709B	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
98-	T800 SH 6x4	MOTOR CUMMINS M11 310 HP, 1150 LB-FT, FULLER RTO-11908LL, SPICER 1310-2A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
99-	T800 SH 6x4	MOTOR CUMMINS ISM 310 HP, 1150 LB-FT, FULLER RTO-11908LL, SPICER 1310-2A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
98-	T800 SH 6x4	MOTOR CUMMINS C10 305 HP, 1050 LB-FT, FULLER RTO11908LL, SPICER 1310-2A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
99-	T800 SH 6x4	MOTOR CATERPILLAR C10 305 HP, 1050 LB-FT, FULLER RTO11908LL, SPICER 1310-2A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
99-	T800 SHW	MOTOR CUMMINS ISM 310-330 HP, 1150-1350 LB-FT, SPICER TSP0155-EN	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
92-94	K100	MOTOR CUMMINS NTC 350 HP, 1200 LB-FT, FULLER SST1214-3A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
80-89	K500	MOTOR CUMMINS NTC 350 HP, 1200 LB-FT, FULLER SST1214-3A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
80-89	K524	MOTOR CUMMINS NTC 350 HP, 1200 LB-FT, FULLER SST1214-3A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
89-90	RENOVA	MOTOR CUMMINS NTC 350 HP, 1200 LB-FT, FULLER SST1214-3A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
91-94	T600	MOTOR CUMMINS NTC 350 HP, 1200 LB-FT, FULLER SST1214-3A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
98-	T600	MOTOR CUMMINS M11 280-400 HP, 1050-1450 LB-FT, FULLER RT-1410B, RTX12710C	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
98-	T600	MOTOR CATERPILLAR C10 305-370 HP, 1150-1350 LB-FT, SPICER TSP0155-16	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
98-	T600	MOTOR DETROIT DIESEL S60 370-430 HP, 1350-1450 LB-FT, SPICER MEGA 18	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
01-	T600	MOTOR CUMMINS ISM 330 HP, 1350 LB-FT, FULLER RTX12710C	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
01-	T600	MOTOR CATERPILLAR C15 375-435 HP, 1450 LB-FT, FULLER RTLO14918B	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
01-	T600	MOTOR DETROIT DIESEL S60 370-430 HP, 1450 LB-FT, SPICER SPR MEGA 18	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
01-	T600B	MOTOR CUMMINS L10 300 HP, 950 LB-FT, FULLER RTLO-16610B	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
98-	T600B	MOTOR CUMMINS M11 280-400 HP, 1050-1450 LB-FT, FULLER RTX-12710C, RTLO-16713A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
98-	T600B	MOTOR CATERPILLAR C10 305-307 HP, 1150-1350 LB-FT, SPICER TSP0155-16	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
98-	T600B	MOTOR DETROIT DIESEL S60 370-430 HP, 1450 LB-FT, SPICER SPR MEGA 18	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES

MACK								
02-	CV713, RD 688S Y RD690S	MOTOR MACK EM7 300 Y E7 350 300-350 HP, 1360-1425 LB-FT, TRANSMISIÓN MACK T2080B, FULLER RTXF14609B Y RTO14909 MLL	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
MASTER ROAD AUTOBUSES								
05-	MR-F C30 (2 EJES)	MOTOR CUMMINS ISC 300 8.3 LTS, 315 HP, 960 LB-FT, 10 VEL SPICER 1410-2A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
05-	MRH C37 (2 EJES)	MOTOR CUMMINS ISM 370 330-370 HP, 1350 LB-FT, FULLER RTX14710-B	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
MERCEDES BENZ								
92-98	MODELOS L, LK, LO: 1017, 1217, 1417, 1418, 1419, 1423, 1617, 1619, 1621, 2121 Y 2221	MOTOR OM366 LA 6 CIL, 170-210 HP, 443-551 LB-FT, TREMEC FS 5005A, E Y FULLER FS 6305B	NAB1111-M	NAB1111-M				SOLO SE CUENTA CON EL COLLARÍN HIDRÁULICO
80-	SF2574	MOTOR CUMMINS NTC 350 HP, 11120 LB-FT, FULLER TSP0 15516A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
88-	SF2574 192"	MOTOR CUMMINS NTC 400 HP, 1250 LB-FT, FULLER TSP0 15516A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
MERCEDES BENZ AUTOBUSES								
92-01	MODELOS LO, MBO, OMC: 1017, 1217, 1417, 1418, 1419, 1423, 1617, 1619 Y 1621.	MOTOR OM366 LA 6 CIL, 170-230 HP, TREMEC Y FULLER	NAB1111-M	NAB1111-M				SOLO SE CUENTA CON EL COLLARÍN HIDRÁULICO
98-05	MODELOS BOXER, TORINO, MAGNO, MBO, OMC: 1018, 1218, 1418, 1019, 1119, 1219, 1419.	MOTOR OM904 Y MBE900 4 CIL, 180-190 HP, TREMEC Y FULLER FS6305, FSB5406, FSM5005	NAK11-924	NAK11-924	14 1/4" 362.00mm	1 3/4" 44.45mm	10	COLLARIN HIDRÁULICO
05-08	MODELOS BOXER, TORINO, MAGNO, MBO, OMC: 1018, 1218, 1418, 1019, 1119, 1219, 1419.	MOTOR OM904 LA 4 CIL, 180-190 HP, 6 VEL, MB G95-6 Y MBT 660	NAK11-904	NAK11-904	14 1/4" 362.00mm	1 19/32" 40.50mm	18	COLLARIN MECÁNICO
MEXICANAS DE AUTOBUSES, S.A. DE C.V.								
99-01	C10, C11	MOTOR CUMMINS B 5.9 LTS, 190 HP, 475 LB-FT, 5 VEL SPICER ES55	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
99-01	STRADA (2 EJES)	MOTOR DDS 50 320 HP, 1150 LB-FT, 10 VEL, SPICER TSP1410-2A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
90-	PREMIER 2030F, ELLITE	MOTOR DD 6V92TA 330 HP, 963 LB-FT, SPICER TSP	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
PETERBILT								
89-08	200, 220, 330 & 335	MOTORES ISB, ISC, PX-6, PX-8 6CIL.	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
STERLING								
98-08	ACTERRA	MOTOR DIESEL CUM ISB, ISC, MBE900, CAT C-7, 6CIL.	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
01-05	L / LT 7500	MOTOR CUMMINS ISC, ISB, CATERPILLAR 3126B, 170-310 HP, 520-860 LB-FT, FULLER FS6305	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
01-	M5500, M 6500, M7500, L7500	MOTOR MB 170-280HP CUMMINS ISB, ISC 185-315 HP, CATERPILLAR 3126B 175-300 HP, FULLER DE 5 Y 6 VEL, MBT 5205-6D	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
02-	M8500	MOTOR CUMMINS ISC, CATERPILLAR 3126B Y MB 170-315 HP, 520-860 LB-FT, FULLER FS6305	NAKNAVISTAR	NAKNAVISTAR	14" 355.60mm	1 3/4" 44.45mm	10	UN DISCO DE 3 ASPAS
01-	L/L T 950 0	MOTOR CATERPILLAR 3406 355-600 HP, 1450-2050 LB-FT, FULLER RTLO 14718B	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
01-	L/L T 950 0	MOTOR CUMMINS N14 350-525 HP, 1350-1850 LB-FT, FULLER RTLO 1410B	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
01-	L/L T 950 0	MOTRO DETROIT DIESEL S60 370-430 HP, 1450 LB-FT, SPICER SPR MEGA 16	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
01-	L/L T 950 0	MOTOR CUMMINS ISM 330-400 HP, 1350-1450 LB-FT, FULLER RT 1410B	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
01-	L/L T 950 0	MOTOR CUMMINS SIGNATURE 600 HP, 2050 LB-FT, FULLER RTLO 20918B	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
01-	LT 9500	MOTOR CATERPILLAR 3406 355-600 HP, 1450-2050 LB-FT, FULLER RTLO 14718B	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
02-	LT 9500	MOTOR CUMMINS N14 350-525 HP, 1350-1850 LB-FT, FULLER RTLO 1410B	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
02-	LT 9500	MOTOR DETROIT DIESEL S60 370-430 HP, 1450 LB-FT, SPICER SPR MEGA 18	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES

01-	ST 9500	MOTOR CATERPILLAR 3406EMT 355-600 HP, 1350-2050 LB-FT, FULLER RTLO 14718B	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
01-	ST 9500	CUMMINS N14 350-525 HP, 1350-1850 LB-FT, FULLER RT	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
01-	ST 9500	MOTOR DETROIT DIESEL S60 370-430 HP, 1450 LB-FT, SPICER SPR MEGA 18	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
TRAILERS DE MONTERREY								
80-	R22	MOTOR CUMMINS NTC 350 HP, 1120 LB-FT, SPICER 1414-3A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
VOLKSWAGEN								
05-	8-150 4X2 CAMIÓN CHASIS CABINA	CUMMINS INTERAC 3.9 LTS, 148 HP, 4 CIL, EURO III, 5 VEL, EATON FSO 4305C, FSO 4405	NAK17-629	NAK17-629	13" 330.20mm	1 3/8" 35.00mm	10	DISCO CON PASTA ORGANICA
05-	8-150 4X2 CAMIÓN CHASIS CABINA	CUMMINS INTERAC 3.9 LTS, 148 HP, 4 CIL, EURO III, 5 VEL, EATON FSO 4305C, FSO 4405	NAK17-629CB	NAK17-629CB	13" 330.20mm	1 3/8" 35.00mm	10	DISCO CON BOTÓN DE CERÁMICA
VOLKSWAGEN AUTOBUS								
05-	8-150 4X2, 8-150 FEB BUS	CUMMINS INTERAC 3.9 LTS, 148 HP, 4 CIL, EURO III, 5 VEL, ZF S5420 HD	NAK17-629	NAK17-629	13" 330.20mm	1 3/8" 35.00mm	10	DISCO CON PASTA ORGANICA
05-	8-150 4X2, 8-150 FEB BUS	CUMMINS INTERAC 3.9 LTS, 148 HP, 4 CIL, EURO III, 5 VEL, ZF S5420 HD	NAK17-629CB	NAK17-629CB	13" 330.20mm	1 3/8" 35.00mm	10	DISCO CON BOTÓN DE CERÁMICA
VOLVO								
99-	AUTOCAR	MOTOR CUMMINS N14 370-525 HP, 1400-1850 LB-FT, SPICER TSPO 18016SM, TSPO 18018SM, FULLER RTLO16713A, RTLO16718A, RTLO16918B	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
98-	NE 64 6x4	MOTOR CUMMINS M11 280 280 HP, 1050 LB-FT, FULLER RTX11609B	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
99-	WG 64 CHASIS CABINA	MOTOR CUMMINS ISM 305-335 HP, 1150-1450 LB-FT, FULLER RTLX11609B	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
99-	AUTOHAULER 6x4	MOTOR CUMMINS ISM 370 370 HP, 1350 LB-FT, FULLER RTLO14913A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
98-	NR 64T 6x4	MOTOR CUMMINS M11 280 280 HP, 1050 LB-FT, FULLER RTLO14713A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
98-	VNL 64T 6x4	MOTOR CUMMINS M11 330-370 HP, 1250-1450 LB-FT, FULLER RTLO14713A	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
98-	VNL 64T 420 6x4 STANDARD	MOTOR CUMMINS N14 370-525 HP, 1400-1850 LB-FT, SPICER TSPO 18016SM, TSPO 18018SM, FULLER RTLO16713A, RTLO16718B	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
99-	VNL 64T 6x4 STANDARD	MOTOR CUMMINS ISX 450-550 HP, 1650-1850 LB-FT, FULLER RTLO14610B	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
99-	VNL 64T 6x4 STANDARD	MOTOR CUMMINS SIGNATURE 600 HP, 2050 LB-FT, FULLER RTLO20918B	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
99-	VNL 64T 420 6x4 TIPICO	MOTOR CUMMINS N14 370-525 HP, 1400-1850 LB-FT, SPICER TSPO 18016M, TSPO 18018SM, FULLER RTLO 16713A, RTLO 16718B, RTLO 16918B	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
99-	VNL 64T 420 6x4 TIPICO	MOTOR CUMMINS ISX 450-500 HP, 1650-1850 LB-FT, FULLER RTLO 14610B	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
99-	VNL 64T 420 6x4 TIPICO	MOTOR CUMMINS SIGNATURE 600 HP, 2050 LB-FT, FULLER RTLO 20918B	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
98-	VNL 64T 610	MOTOR CUMMINS N14 370-525 HP, 1400-1850 LB-FT, SPICER TSPO 18016SM, TSPO 18018SM, RTLO 16718B, RTLO 16918B	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
99-	VNL 64T 610	MOTOR CUMMINS ISM 400-500 HP, 1650-1850 LB-FT, FULLER RTLO 14610B	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
98-	VNL 64T 610	MOTOR CUMMINS SIGNATURE 600 HP, 2050 LB-FT, FULLER RTLO 20918B, RTLO 16718B, RTLO 16918B	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
01-	VNL 64T 660	MOTOR CUMMINS N14 370-525 HP, 1400-1850 LB-FT, SPICER TSPO 18016SM, TSPO 18018SM, RTLO 16718B, RTLO 16918B	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
01-	VNL 64T 660	MOTOR CUMMINS ISX 400-500 HP, 1450-1850 LB-FT, FULLER RTLO 14610B	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
01-	VNL 64T 660	MOTOR CUMMINS SIGNATURE 600 HP, 2050 LB-FT, FULLER RTLO 20918B	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
01-	VNL 64T DAY CAB	MOTOR CUMMINS N14 370-525 HP, 1400-1850 LB-FT, SPICER TSPO 18016SM, TSPO 18018SM, FULLER RTLO 16713A, RTLO 16718B	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
01-	VNL 64T DAY CAB	MOTOR CUMMINS ISX 400-500 HP, 1450-1850 LB-FT, FULLER RTLO 14610B	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES

01-	VNL 64T DAY CAB	MOTOR CUMMINS SIGNATURE 600 HP, 2050 LB-FT, FULLER RTLO 20918B	NAK129079-7SP-6SP	NAK129079-7SP-6SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 6 ASPAS 7 RESORTES, PLATO DE 9 RESORTES
99-	WX 6x4	MOTOR CUMMINS ISM 280-305 HP, 1050-1150 LB-FT, FULLER RT 12609A, RT 14607B	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES
01-	XPEDITOR 6x4	MOTOR CUMMINS ISM 305 HP, 1150 LB-FT, FULLER T 4607B	NAK129079-7SP	NAK129079-7SP	15 1/2" 393.70mm	2" 50.8mm	10	DISCO DE 4 ASPAS 7 RESORTES (OPCIÓN 6 ASPAS: NAK129079-7SP-6P) PLATO DE 9 RESORTES